# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# WHOLESALE PRICE LIST

To the Trade

1931 I 9 3 2



ESTABLISHED 1878

# LEONARD COATE NURSERI

INCORPORATED

WHOLESALE GROWERS OF

Evergreen and Deciduous Ornamentals ... Conifers ... Lining-Out Stock ... Rose Stocks ... Budded Roses ... Budded Fruit Trees and Fruit Tree Seedlings . . . .

Nurseries at Morgan Hill, Santa Cruz and Brentwood



Office and Salesyard SAN JOSE CALIFORNIA



# Terms, Conditions and Organization

### OUR POLICY

Is to grow the best. Quality nursery stoc': cannot be grown without extra care and expense. Therefore look out for cheap stock as quality, condition or cleanliness must be sacrificed. All our stock in "containers" is clean, healthy and not root bound. None of our "Balled" stock is too old or overgrown while our "Deciduous" stock is freshly grown each year. "Quality Stock Pays."

### TERMS

All prices are net: 5% discount for cash with order. All bills due and payable 60 days from date of invoice, unless otherwise arranged. Interest at the rate of 7 per cent will be charged after 60 days.

#### RATE

Quotations in this list will be furnished 5 at ten rate, 50 at hundred rate and 300 at thousand rate.

#### PACKING

Packing is done in the most careful way and a charge is made to cover cost of materials only. Our packers have had many years' experience.

#### TRUCK DELIVERIES

With a fleet of four trucks we can make prompt deliveries to all parts of California. Charges will be very nominal and will save our customers boxing, freight and cartage, and also eliminate extra handling of plants.

#### GUARANTEE

While we exercise the greatest care to have all stock true to name, we give no warranty, express or implied, and in event that stock is proven not true to name, we shall be liable only for the sum paid for such stock.

#### CLAIMS

Of any kind will not be allowed unless reported within 10 days after receipt of stock.

#### NATIVE TREES

The stock of Native Trees and Shrubs we carry cannot be equalled in California. Our nurseries are recognized Headquarters for this class of stock. The demand for native stock is increasing each year and wherever a shortage of water exists this type of plant can be suggested. All natives are preceded with an asterisk (\*).

#### EXPLANATION OF ABBREVIATIONS

B--Balled; B. R.—Bare Root; P—Pot; Qt.—Quart Can; Gal.—One Gallon Can; 2½g.—Two and one-half Gallon Can; 5g.—Five Gallon Can; Ft.—Feet, and In.—Inches.

#### APPRECIATION

We wish to again express our appreciation for the increased patronage given us by our many wholesale customers. This increase has justified our feeling that there is still a market for High Grade, Quality Nursery stock at a fair price.

#### VISIT OUR NURSERIES

We have three principal growing grounds, or Nurseries, located at Morgan Hill, Santa Clara County; Santa Cruz, Santa Cruz County; and Brentwood, Contra Costa County, with our Main Office, Floral Store and Salesyard at 2201-2205 The Alameda, San Jose, on the main San Francisco Highway, between San Jose and Santa Clara.

At Morgan Hill we have our propagation houses for cuttings and seedage, as well as lath-houses where all the stock in containers is grown. At this nursery we grow over three hundred-thousand plants. The climate at Morgan Hill is warmer than most parts of Santa Clara Valley and with plenty of water is conducive to very favorable plant growth.

At Santa Cruz we have twelve acres where eighty thousand field grown, or "balled" plants are produced under most favorable growing conditions. This section was designated by the late Luther Burbank as being the best in California for the largest variety of plants.

At Brentwood, where we have three locations, all deciduous fruit stock, roses and fruit tree seedlings are grown. On the highlands we grow the budded fruit trees and roses in loamy soil, while the seedlings are grown under Delta peat conditions. The former with plenty of water and heat produces ideal fruit trees in a section free from Peach Root Borer, and the latter, which is sub-irrigated, develops a splendid fibrous branched root system.

Our location at San Jose is the main distributing point and acts as a hub in the center of the nursery locations. We believe the favorable conditions under which our stock is grown and the years of experience back of our employees put us in a position to cater to those who want the best.

# LEONARD COATES NURSERIES, INC.

Established 1878

R. D. Hartman, Pres. and General Manager Wm. Marken, Secty.-Treas. Marion E. Gregory, Mgr. Fruit Tree Dept.

# ORNAMENTAL DEPARTMENT



PARTIAL VIEW OF OUR SANTA CRUZ NURSERY

# Evergreen Trees and Shrubs

We offer this year a larger and we think better assortment of varieties than ever before. All of our stock, both in the field and in containers is carefully grown, quality stock that you can recommend to your customers without hesitation.

	0 rate 1 Each elia)	00 rate Each
1 to 1½ ft. 4p	25	.20
1½ to 2 ft. Gal		.30
3 to 4 ft. 2½g	75	
2 to 2½ ft. B	60	
3 to 3½ ft. B		
, <del>-</del>	00	., 0
ABUTILON megapotamicum		
(Japanese Lantern)		
3 to 4 ft. Gal	40	.35
		.55
ACACIA armata (Kangaroo The	orn)	
1 to 1½ ft. Qt	20	.171/2
3 to 4 ft. Gal		.35
ACACIA baileyana		
1½ to 2 ft. Qt	25	.20
2 to 3 ft. Qt	30	.25
3 to 4 it. Gal	40	.35
4 to 5 ft. Gal	50	.40
5 to 6 ft. Gal	60	.50
7 to 8 ft. 5g		1.00
3		1.00

out hesitation.	
10 rate 1 Each	
ACACIA baileyana purpurea	
An attractive variety of the pre-	
ceding which originated in our	
nurseries. The new growth is a	
decided purple; and the whole tree	
is tinged purple.	
1½ to 2 ft. Qt	.30
2 to 3 ft. Gal	.50
5 to 6 ft. 5g 1.50	1.25
ACACIA cultriformis (Knife Blade Aca	.cia)
2 to 3 ft. Qt	.20
3 to 4 ft. Qt	
4 to 5 ft. Gal	.35
6 to 7 ft. 5g 1.00	
ACACIA cyanophylla	
1 to 1½ ft. Qt	.20
ACACIA decurrens (Green Wattle)	
1½ to 2 ft. Qt	.20

# "CLEAN STOCK PAYS"

10 rate 100 rate	Prob	
Each Each	Each 10 rate 1	
ACACIA decurrens dealbata (Silver Wattle) 2 to 2½ ft. Qt	ACACIA prominens	20
4 to 5 ft. Gal	1½ to 2 ft. Qt	.30 .40
5 to 6 ft. Gal		. 10
7 to 8 ft. 5g	ACACIA pycnantha (Golden Wattle) 2 to 3 ft. Gal	.35
ACACIA florabunda 1½ to 2 ft. Qt		.55
3 to 4 ft. Qt	ACACIA saligna (Willow Acacia) 10 to 12 in. Qt	.20
4 to 5 ft. Gal	ACACIA verticillata (Star Acacia)	.20
5 to 6 ft. Gal	1 to 1½ ft. Qt	.20
7 to 8 ft. 5g	3 to 4 ft. Gal	.30
1½ to 2 ft. Qt	4 to 5 ft. Gal	.40
4 to 5 ft. Gal	7 to 8 ft. 5g 1.25	
5 to 6 ft. Gal	ACANTHUS mollis	
7 to 8 ft. 5g	1 to $1\frac{1}{2}$ ft. $2\frac{1}{2}$ g	
2 to 3 ft. Gal	AGATHEA coelestis (Blue Marguerite 1 to 1½ ft. Gal	.30
	ARBUTUS laurifolia	
$\mathcal{L}$	1 to 1½ ft. Gal	.35
N. L.	*ARBUTUS menziesi (Madrone)	
	8 to 12 in. 4p	.30 .45
	1½ to 2 ft. 6p	.50
	ARBUTUS unedo (Strawberry Tree)	
	1½ to 2 ft. Gal	.30
	2 to 2½ ft. B	.75
	3 to 4 ft. 5g 1.15	
	*ARCTOSTAPHYLLOS glauca	
	(Manzanita) 8 to 10 in. 4p	.40
	10 to 12 in. Gal	.50
	ARISTOTELIA maqui	
	1½ to 2 ft. Gal	.35
	AZARA microphylla (Boxleaf Azara)	
2//	2 to 2½ ft. B	.70
* //	BERBERIS darwini	
1	8 to 12 in. 4p	.20
	1 to $1\frac{\pi}{2}$ ft. 5p & Gal	.25
ACACIA CULTRIFORMIS, MOLLIS, LINI-	1 to 1½ ft. B	.60 .75
FOLIA, BAILEYANA AND SALIGNA		.75
ACACIA melanoxylon (Black Acacia)	BERBERIS elegantissima	20
2 to 3 ft Qt	1½ to 2 ft. 4p	.20
4 to 4½ ft. Qt		.00
4 to 5 ft. Gal	BERBERIS gagnepaini 10 to 12 in. 4p	.20
7 to 8 ft. 5g 1.15 1.00	1 to 1½ ft. Gal	.30
ACACIA podalyriaefolia (Pearl Acacia)	1 to $1\frac{1}{2}$ ft. B	.60
2 to 3 ft. Gal	2 to $2\frac{1}{2}$ ft. B	.80
3 to 4 ft. Gal	BERBERIS knighti	
Exceedingly hardy variety unex-	Leaves large, dark glossy green,	
celled for dry hillside planting.	covered in Spring with attractive	
1½ to 2 ft, Qt	yellow flowers.	20
2 to 3 ft. Qt	10 to 12 in. 4p	.20
4 to 5 ft Gal	$1\frac{1}{2}$ to 2 ft. B	.60
7 to 8 ft. 5g 1.25 1.00	2 to 2½ ft. B	.80

Fa	ate 100 ch - E	0 rate	10 rate 100 rate Each Each
BERBERIS new gray	CII I	zacii	*CEANOTHUS cyaneus (Deep Blue)
1½ to 2 ft. B	.75	.65	Long spikes of very deep blue
BERBERIS sargentiana			flowers; blooms late, after other varieties are through,
10 to 12 in. 4p	.25	.20	1½ to 2 ft. Qt
1½ to 2 ft. Gal	.35	.30	2 to 3 ft. Gal
1 to 1½ ft. B	.70	.60	*CEANOTHUS macrocarpus (White)
BERBERIS stenophylla			$1\frac{1}{2}$ to 2 ft. Gal
10 to 12 in, 4p		.20	*CEANOTHUS papillosus (Deep Blue)
1½ to 2 ft. Gal 1 to 1½ ft. B	.30 70	.25	Low growing variety with dark
2 to 2½ ft. B		.75	green roughened foliage and deep
BERBERIS tricanthophora			blue flowers
A low growing, compact, entirely	V*		1 to 1½ ft. Qt
evergreen variety, fine for fore			*CEANOTHUS sorediatus (Pale Blue)
ground plantings.	2 =	20	2 to 3 ft. Gal
8 to 12 in. 4p		.20	*CEANOTHUS thyrsiflorus (Vivid Blue)
1 to 1½ ft. Gal 1 to 1½ ft. B	.55 75	.30	2 to 2½ ft Gal
BERBERIS wilsoni	., .		5 to 6 ft. 5g 1.25
10 to 12 in. 4p	.25	.20	*CEANOTHUS thrysiflorus griseus
1 to 1½ it, Gal		.25	(Deep Blue)
1 to $1\frac{1}{2}$ ft, B	.65	.55	2 to 2½ ft. Gal
$1\frac{1}{2}$ to 2 ft. B	.75	.65	*CEANOTHUS verrucosus (White),
BUDDLEIA davidi veitchi	2-	20	1½ to 2 ft. Gal
2 to 2½ ft. Gal	.35	.30	CERATONIA siliqua (Carob) 1½ to 2 ft. Qt
BUDDLEIA globosa	2.5	20	1½ to 2 ft. Qt
2 to 2½ ft. Gal	.35	.30	5 to 6 ft. 5g
BUDDLEIA magnifica 2 to 2½ ft. Gal	.35	.30	CERATOSTIGMA plumbaginoides
CALLISTEMON rigidus (Bottle H			(Dwarf Plumbago) 8 to 12 in Qt
CALLISTERIOR FIGURES CHATTER			
1½ to 2 ft. Qt	.25	.20	*CERCOCARPUS betuloides
	.25 .35		*CERCOCARPUS betuloides (Mt. Mahogany)
1½ to 2 ft. Qt 2 to 3 ft. Gal	.25 .35	.20 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75	.20 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75	.20 .30 .65	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75	.20 .30 .65	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75	.20 .30 .65	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75 .30	.20 .30 .65	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75 .30	.20 .30 .65	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75 .30	.20 .30 .65	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75 .30 .45 .35	.20 .30 .65 .25 .40 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75 .30 .45 .35	.20 .30 .65 .25	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 it. Qt	.25 .35 .75 .30 .45 .35	.20 .30 .65 .25 .40 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 it. Qt	.25 .35 .75 .30 .45 .35 .25 .25	.20 .30 .65 .25 .40 .30 .20 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75 .30 .45 .35 .25 .35	.20 .30 .65 .25 .40 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75 .30 .45 .35 .25 .35 .25 .35	.20 .30 .65 .25 .40 .30 .20 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75 .30 .45 .35 .25 .35 .25 .35	.20 .30 .65 .25 .40 .30 .20 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75 .30 .45 .35 .35 .35 .35 .35 .35 .35 .35 .35 .3	.20 .30 .65 .25 .40 .30 .20 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75 .30 .45 .35 .25 .35 .25 .35 .40	.20 .30 .65 .25 .40 .30 .20 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 it. Qt	.25 .35 .75 .30 .45 .35 .25 .35 .25 .35 .40	.20 .30 .65 .25 .40 .30 .20 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 ft. Qt	.25 .35 .75 .30 .45 .35 .25 .35 .25 .35 .40 1.25	.20 .30 .65 .25 .40 .30 .20 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal
1½ to 2 it. Qt	.25 .35 .75 .30 .45 .35 .25 .35 .35 .25 .35 .35	.20 .30 .65 .25 .40 .30 .20 .30	*CERCOCARPUS betuloides (Mt. Mahogany)  1½ to 2 ft. Gal

# "CLEAN STOCK PAYS"


1	10 rate 10 Each	00 rate Each		10 rate 10 Each	00 rate Each
COCCULUS laurifolius			COTONEASTER heroveana		
2 to 2½ it. B	1.00	.85	1 to 1½ ft. Qt		.20
COPROSMA baueri (Mirror Pl	ant)		2 to 3 ft. Gal		.30
8 to 12 in. 4p		.20	2 to 3 ft. B		.60
1 to 1½ ft. Gal		.25	3 to 4 ft. B	85	.75
1½ to 2 ft. B		.60	COTONEASTER horizontalis		
2 to 2½ ft. B	85	.75	8 to 12 in. 4p		.20
CORONILLA emerus			1 to 1½ ft. Gal		.30
2 to 2½ ft. Gal	30	.25	1½ to 2 ft. B		.60
, -	50	.23	2 to 2½ ft. B	90	.80
CORONILLA glauca	20	25	COTONEASTER microphylla	25	30
2 to 2½ ft. Gal	30	.25	12 to 14 in. 4p		.20
CORONILLA glauca variegata			1 to 1½ ft. Gal		.25
1½ to 2 ft. Gal	30	.25	1½ to 2 ft. B		.80
CORREA alba			2 to 2½ ft. B		
1½ to 2 ft. Gal	.40	.35	8 to 12 in, 4p		.20
		.00	1 to 1½ ft. Gal		.30
COTONEASTER acuminata	25	.20	1 to 1½ ft, B		.60
1½ to 2 ft. Qt 2 to 3 ft. Gal		.30	COTONEASTER nitens	, 0	.00
3 to 3½ ft. B		.75	2 to 2½ ft. 4p	.40	.35
*				10	.00
COTONEASTER dammeri (H			COTONEASTER pannosa		.20
1½ to 2 ft. B	85	.75	2 to 2½ ft. 4p & Qt 3 to 3½ ft. Gal		.30
COTONEASTER franchetti			2 to 3 ft. B		.55
1 to 1½ ft. Qt		.171/2	4 to 5 ft, B		.80
3 to 4 ft. Gal		.30	COTONEASTER pannosa nana		
2 to 2½ ft. B	70	.60	8 to 12 in. 4p		.25
3 to 4 ft. B	85	.75	1 to 1½ ft. B		.20
COTONEASTER frigida			COTONEASTER rotundifolia		eta)
3 to 4 ft. B	85	.75	8 to 12 in. 4p		.20
COTONEASTER gracilis			1 to 1½ ft. Gal		.30
1 to 1½ ft. Gal	40	.35	1½ to 2 ft. B		.70
72			/ 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2		



SAMPLE OF OUR "BALLED" STOCK. LEFT TO RIGHT, THUJA OBTUSA NANA, ERICA MEL. RUBRA, ERICA MEDITERRANEA, SEQUOIA GIGANTEA AND PITTOSPORUM TOBIR

10:	ate 100 ach E	) rate Cach
COTONEASTER salicifolia	icii L	Jacii
8 to 12 in 4p	.25	.20
2 to 2½ ft. B	.80	.70
COTONEASTER schneideri		
1 to 1½ it. Qt	.25	.20
2 to 2½ ft. Gal	.35	.30
	.70	.60
COTONEASTER williamsi	4.0	2.5
4 to 5 ft. Gal	.40	.35
COTONEASTER standards		
C. gracilis, C. heroveana, C. ho C. microphylla, C. rotundifolia,	rizont	alis,
C. microphylla, C. rotundifolia,	C. sa	llici-
folia, C. thymifolia	2.00	
CYTISSUS aetnensis	2.00	
1 to 1½ ft. Gal	.35	.30
	.00	.50
CYTISSUS canariensis		
(Canary Island Broom)	25	.20
2 to 2½ ft. Qt 2½ to 3 ft. Gal	.30	.25
CYTISSUS elatior 1½ to 2 ft. Gal	.35	.30
		.00
CYTISSUS fragrans (Sweet Broo	m)	.20
1½ to 2 ft. Qt		.20
CYTISSUS hispanica (Spanish Br	oomi)	20
1½ to 2 ft. Qt	.25 .35	.20
CYTISSUS multiflora alba (Whit		
1 to 1½ ft. Gal	.35	.30
CYTISSUS racemosus (Easter Br		
8 to 12 in. 4p	.25	.20
1 to 1½ ft. Gal	.35	.30
1 to 1½ ft. Gal	.75	.65
2 to 2½ it. sg	1.00	.85
CYTISSUS scoparius (Scotch Bro	20111)	.20
4 to 5 it. Gal	.40 35	.30
DEERINGEA baccata variegata	.00	.50
1½ to 2 ft. 4p	.30	.25
2 to 2½ ft. Gal	.40	.35
*DENDROMECON rigida (Tree	Ponn	7-)
A fine native shrub for dry place	r opp	3 /
Covered all summer with vello	77-	
poppy like flowers.		
1 to 1½ ft. Gal	.70	.60
DODONEA spatulata		
2 to 2½ ft. Gal	.40	.35
DURANTA plumieri		
8 to 12 in. 4p	.30	.25
ELAEAGNUS pungens	2.5	2.0
1½ to 2 ft. Gal	.35 .75	.30
ERICA blanda	./5	.65
1 to 1½ ft. B	.80	.70
ERICA Felix Faure	.00	.70
1 to 1½ ft. B	.80	.70
ERICA King Edward		
1 to 1½ ft. B	.80	.70

	10 rate Each	
ERICA mediterranea	70	.60
		.00
ERICA mediterranea hybrida 1 to $1\frac{1}{2}$ ft. B		.60
ERICA melanthera		
1½ to 2 ft. B	75	.65
3 to 3½ ft. B	1.25	1.00
ERICA melanthera rosea		
1½ to 2 ft. B	90	.80
ERICA melanthera rubra		
1 to 1½ ft. B		.80
ERICA persoluta alba		.00
1 to $1\frac{\pi}{2}$ ft. B	75	.65
		.03
ERICA persoluta rosea	0 =	
12 to 16 in. B	85	.75
ERICA regerminans		
1 to 1½ ft. B	75	.65
ERIOBOTRYA japonica (Log	(uat)	
3 to 4 ft. 5g	1.00	)
ESCALLONIA berteriana		
1 to 1½ ft. Gal	35	.30
ESCALLONIA ingrami		
1 to 1½ ft. Gal	35	.30
2 to 2½ ft. B	85	.75
/		



### 

# "OUR STOCK GROWS"

10 rate 100 rate Each Each
ESCALLONIA rubra
8 to 12 in. Qt
1½ to 2 ft. B
EUCALYPTUS citriodora (Lemon Gum) 8 to 12 in. Qt
EUCALYPTUS corynocalyx (Sugar Gum) 10 to 12 in. Flats 2.00
BUCALYPTUS crebra (Iron Bark) 3 to 4 ft. Gal
EUCALYPTUS ficifolia (Crimson Flowering)
8 to 12 in. Qt
EUCALYPTUS globulus (Blue Gum)
2 to 3 ft. Qt
EUCALYPTUS leucoxylon rosea
(Pink Flowering)
1 to 1½ ft. Qt
3 to 4 ft. Gal40 .35 7 to 8 ft. 5g
7 to 8 ft. 5g
EUCALYPTUS polyanthemos (Red Box)
1 to 1½ ft. Qt
2 to 2½ ft. Qt
4 to 5 ft. Gal
2.00



FREMONTIA MEXICANA

	10 rate	100 rate
EUCALYPTUS robusta	Each	Each
(Swamp Mahogany)		
2 to 3 ft. Ot	2	.20
3 to 4 ft Gal	40	.35
3 to 4 ft. Gal	1.23	5
8 to 12 in. Flats		2.25
EUCALYPTUS rostrata (Red (		
2 to 3 ft Ot	20111 <i>)</i> 21	5 .20
4 to 5 ft Gal	3:	5 .30
7 to 8 ft. 5g	1.25	5 .50
2 to 3 ft. Qt	.75)	2.00
EUCALYPTUS rudis (Desert (	7 )	
2 to 3 ft. Qt	zuiii)	.20
4 to 5 ft. Gal	2.	3 .30
7 to 8 ft 5c	1 2	.30
7 to 8 ft. 5g 8 to 12 in. Flats	1.2	2.25
EUCALYPTUS sideroxylon ros		2.20
(Dink Florgering)		
1 to 1½ ft. Qt	2:	.20
3 to 4 ft Gal	- 40	35
3 to 4 ft. Gal	1 2	
8 to 12 in. Flats		3.00
EUCALVPTUS viminalis (Man	na Gi	1111)
2 to 2½ it. Qt	25	.20
4 to 5 ft. Gal	.35	.30
7 to 8 ft. 5g	1.25	,
10 to 12 in. Flats (1000 rate	1.75)	2.00
EUGENIA apiculata	/	
EUGENIA apiculata 8 to 12 in. 4p	25	.20
1 to 1½ ft. Gal	35	
EUGENIA myrtifolia (Shaped)		
1½ to 2 ft B	1.00	.85
1½ to 2 ft. B	1.50	1.25
ELIONYMOUS ianonica		
EUONYMOUS japonica 1 to 1½ ft. Gal	30	.25
2 to 2½ ft. B	70	
EUONYMOUS japonica albo ma	roina	ta
8 to 12 in 4n	')	5 20
1 to 1½ ft. Gal 1½ to 2 ft. B	30	
1½ to 2 ft. B	70	
EUONYMOUS japonica albo va	riega	ta
1½ to 2 ft. Gal	.30	.25
1½ to 2 ft. B	65	.55
2 to 2½ ft. B	80	
EUONYMOUS japonica aurea 1		
12 to 16 in. Gal	30	.25
1½ to 2 ft. B	70	.60
EUONYMOUS japonica aurea v	zarieo	
8 to 12 in. 4p	25	.20
12 to 16 in. Gal	30	
12 to 16 in. Gal 1½ to 2 ft. B		.60
EUONYMOUS japonica microph	willis	
(Dwarf Euonymous)	Tyllus	
6 to 10 in, 4p	25	.20
8 to 12 in, Gal		
EUONYMOUS japonica micropl		
variegata	.y.ia	
6 to 10 in. 4p	25	.20
12 to 14 in. B	.60	
EHONYMOUS ianonica Pres G		
EUONYMOUS japonica Pres. G	75	.65
1/2 00 = 10 = 10.	, 0	.00

10 rate 100 rate Each Each	10 rate 100 rate Each Each
EUONYMOUS japonica viridi-variegata	LAUROCERASUS lusitanica
(Duc D'Anjou)	(Portugal Laurel)
10 to 12 in. 4p	8 to 12 in. 4p
1 to 1½ ft. Gal	1 to 1½ ft. Gal
1½ to 2 ft. B	1½ to 2 ft. B
FABIANA imbricata 2 to 2½ ft. Gal	LAUROCERASUS officinalis
· -	(English Laurel)
FATSIA japonica (Aralia Sieboldi) 8 to 12 in. Ot	2 to 2½ ft. Gal
8 to 12 in. Qt	1½ to 2 ft. B
$1\frac{1}{2}$ to 2 ft. B	
FEITOA sellowiana (Pineapple Guava)	LAUROCERASUS officinalis camelliafolia
2 to 2½ ft. B	8 to 12 in. 4p
*FREMONTIA californica	LAURUS nobilis (Grecian Laurel) 4 to 5 ft. B Standards
1½ to 2 ft. Gal	5 to 6 ft, B Standards
*FREMONTIA mexicana (Extra Fine)	LAVANDULA dentata
2 to 2½ ft. Gal	(Cut Leaf Lavender)
3 to 3½ ft. Gal	1 to $1\frac{1}{2}$ ft. Gal
*GARRYA elliptica (Silk Tassel Bush)	LAVANDULA officinalis (Blue)
1 to 1½ ft. Qt	1½ to 2 ft. Gal
2 to 2½ ft. Gal	LEONOTIS leonorus (Lion's Tail)
3 to 4 ft. 5g	1½ to 2 ft. Gal
GREVILLEA banksi	LEPTOSPERMUM chapmani
2 to 2½ ft. B	2 to 3 ft. B
GREVILLEA robusta (Silk Oak)	LEPTOSPERMUM laevegatum
1½ to 2 ft. Qt	(Australian Tea Tree)
2 to 3 ft. Gal	1 to 1½ ft. Qt
3 to 4 ft. Gal	$1\frac{7}{2}$ to 2 ft. $4p$
5 to 6 ft. 5g 1.15 1.00	2 to 3 ft. Gal
GRISELINIA littoralis	3 to 4 ft. Gal
1½ to 2 ft. B	2 to 2½ ft. B
HAKEA laurina	
2 to 3 ft, Gal	LEUCADENDRON argenteum
5 to 6 ft. 5g	(Silver Tree) 1½ to 2 ft. 4p
HAKEA suaveleons	<u> </u>
2 to 2½ ft. Gal	LIGUSTRUM acuminatum
HYPERICUM moserianum (Gold Flower)	2 to 2½ ft. Qt
1 to 1½ ft. Gal	LIGUSTRUM henryi
1½ to 2 ft. B	1½ to 2 ft. Gal
HYPERICUM nepalense	2 to 2½ ft. B
1 to $1\frac{1}{2}$ ft. Gal	LIGUSTRUM japonicum (Japanese Privet)
	2 to 3 ft, Qt
HYPERICUM patulum henryi 1 to 1½ ft. Gal	3 to 4 ft. Gal
	4 to 5 ft. B
ILEX aquifolium (English Holly)	
8 to 10 in 4p	LIGUSTRUM ovalifolium
10 to 12 in Gal	(California Privet) 8 to 12 in. Flats
	$1\frac{1}{2}$ to 2 ft. B. R
ILEX cornuta (Chinese Holly)	2 to 3 ft. B. R
6 to 10 in. 4p	LIGUSTRUM ovalifolium aurea
JACARANDA mimosaefolia 8 to 12 in. 4p	(Golden Privet)
	1 to 1½ ft. Qt
LAGUNARIA pattersoni 1 to 1½ ft. Gal	2 to 2½ ft. Gal
7	1½ to 2 ft. B
LAUROCERASUS caroliniana (Carolina Laurel)	2 to 3 ft. B
1 to 1½ ft. Gal	LIGUSTRUM sinense (Chinese Privet)
3 to 3½ ft. B	4 to 5 ft. Gal
4 to 5 ft. $2\frac{1}{2}g$	3 to 3½ ft. B

## "QUALITY STOCK PAYS"

10 rate 100	) rate
Each E	
LIGUSTRUM vulgare (English Privet)	)
2 to 2½ ft. B. R	.04
*LITHOCARPUS densiflora	
(Tan Bark Oak)	
$1\frac{\pi}{2}$ to 2 ft. Qt	.25
2 to $2\frac{1}{2}$ ft. Gal	
2 to 3 ft. $2\frac{1}{2}$ g	.75
LONICERA nitida	
1 to 1½ ft. Gal	.25
$1\frac{1}{2}$ to 2 ft. B (Trimmed cones) .75	.65
MAGNOLIA grandiflora	
4 to 5 ft. B 1.75	1.50
5 to 6 ft. B	1.75
*MAHONIA aquifolium (Oregon Grap-	e)
8 to 12 in. 4p	.20
1 to 1½ ft. Gal	.25
$1\frac{\pi}{2}$ to 2 ft. B	.60
2 to 2½ ft. B	.75



#### MAHONIA AQUIFOLIUM (OREGON GRAPE) MAHONIA beali (Leather Leaf Holly Grape) 10 to 12 in. 5p & Gal..... 1 to 1½ ft. B..... .30 .60 MALVA chinensis .35 MELALEUCA decussata (Lilac) .30 .25 .65 MELALEUCA diosmafolia .30 MELALEUCA ericifolia .30 MELALEUCA hypericifolia (Red) .30 MELALEUCA nesophila (Pink) .30 .65

	ach	00 rate Each
1 to 1½ ft. Gal		.45
MYRTUS communis		
8 to 12 in. 4p	.25	.20
1½ to 2 ft. Gal	.35	.30
1½ to 2 it. B	.70	.60



#### NANDINA DOMESTICA


MYRTUS communis compacta

6 to 10 in. 4p 1 to 1½ ft. B	.25 .75	.20 .65
MYRTUS communis microphylla 8 to 12 in. 4p	.25 .30 .70	.20 .25 .60
MYRTUS communis variegata 8 to 12 in. 5p 1 to 1½ ft. Gal 1½ to 2 ft. B	.30 .35 .70	.25 .30 .60
MYRTUS ralphi 1 to 1½ ft. Gal 1½ to 2 ft. B	.35 .70	.30 .60
MYRTUS ugni (Chile Guava) 6 to 8 in. 4p 1 to 1½ ft. B	.25 .80	.20 .70
NANDINA domestica (Sacred Ba 8 to 12 in. 4p	mboo .25 .40 .70 .80	.20 .35 .60 .70
NERIUM (Oleander) DOUBLE RED, PINK, SALMON, WHITE; SINGLE CRIMSON, DEEP ROSE, PINK.		
1 to 1½ ft. Gal	.35 .85	.30 .75
OLEARIA forsteri 1½ to 2 ft. Gal	.40	.35
OLEARIA traversi 1½ to 2 ft, Gal	.40	.35


	0 rate 1 Each	
OSTEOMELES anthyllidifolia 2 to 2½ ft. B		
PARKINSONIA aculeata (Jerusalem Thorn) 1½ to 2 ft. Gal		
		.35
PENTSTEMON spectabilis 1 to 1½ ft. Qt	25	.20
PERNETTYA pink 1 to 1½ ft. B	85	.75
PHILADELPHUS mexicana (Evergreen Mock Orange)		
2 to 2½ ft. Gal	35	.30
*PHOTINIA arbutifolia (Toyor	1)	
8 to 12 in. 4p	30	.25
1 to 1½ ft. 5p	40	.35
1½ to 2 ft. 6p & Gal	45	.40
2 to 2½ ft. 2½g	90	.80
PHOTINIA serrulata		
2 to 3 ft. B	75	.65
4 to 5 ft. 5g	1.25	1.00
5 to 6 ft. 5g	1.50	1.25
*PICKERINGEA montana (Cha	parral	Pea)
12 to 14 in. Gal	60	.50
PITTOSPORUM crassifolium		
2 to 3 ft. B	80	.70
PITTOSPORUM eugenoides		
1 to 1½ ft. Qt	25	.20
1½ to 2 ft. Gal	35	.30
2 to 2½ ft. B	70	.60
3 to 4 ft. B	1.00	.85



	10	100
		100 rate
DITTOSPODIUM111 '1	Lach	Each
PITTOSPORUM phylleroides		
(Willow Pittosporum)		
(Willow Pittosporum) 1½ to 2 ft. Qt	2:	5 .20
1½ to 2 ft. Qt	40	.35
DITTOCDODIEM	( ) 7	
PITTOSPORUM tenuifolium	(Nigri	cans)
1 to 1½ ft. Qt 1½ to 2 ft. Gal	2:	5 .20
1½ to 2 ft. Gal	30	0 .25
2 to $2\frac{1}{2}$ ft. B	70	
2 to 2½ ft. B	1.00	.85
PITTOSPORUM tobira		
1 to 1½ ft. Gal 1½ to 2 ft. B	3.	5 .30
1½ to 2 ft. B	70	.60
2 to 3 ft. B	90	08.
PITTOSPORUM tobira varieg	gata	
1½ to 2 ft	7:	5 .65
PITTOSPORUM undulatum		
	0	
2 to 3 ft. B	8.	5 .75
*PRUNUS ilicifolia		
(Evergreen Wild Cherry)		
One of the finest hedge pl	ants,	
hardy and easily grown.		
8 to 12 in. Qt	20	0 .17 1/2
1 to 1½ ft. 4p		
1 to 172 tt. ¬p	2	
1½ to 2 ft. Gal	3.	
3 to 4 it. 2½g	90	08. 0
5 to 6 ft. 5g	1.2.	5 1.10
*PRUNUS lyoni (Catalina Che		
12 to 16 in Ot	2.	5 .20
12 to 16 in. Qt		
1½ to 2 it. 5p	3	
2 to 2½ ft. Gal	3	
3 to 4 ft. $2\frac{1}{2}g$	8	
4 to 5 ft. 5g	1.2	5 1.10
DCIDIUM+41-: (C+		~
PSIDIUM cattleianum (Strawl	perry (	Juava)
2 to 2½ ft. Gal	4	0 .35
PYRACANTHA angustifolia		
(Yellow Berries)		
1½ to 2 ft. Qt	2	5 .20
1½ to 2 it. Qt	<u></u>	
2 to 2½ ft. Gal		
2 to 2½ ft. B	7	5 .65
PYRACANTHA coccinea		
(Orange-Scarlet Berries)		
		- 20
1 to 1½ ft. Qt	2	5 .20
1½ to 2 ft. Gal	3	0 .25
2 to 2½ ft. B	7	0 .60
PYRACANTHA coccinea lalar	101	
(Orange Berries) (Cuttings)	_	F 00
1 to 1½ ft. Qt	2	5 .20
2 to 2½ ft. Gal	3	5 .30
2 to 3 ft, B	7	5 .65
PYRACANTHA crenulata		
(Scarlet Berries)		
1 to 11/2 ft Ot	2	5 .20
1 to 1½ ft. Qt 1½ to 2 ft. Gal	3	0 .25
1½ to 2 it. Gal	3 3	5 .40
3 to 4 ft. Gal		
1½ to 2 ft. B	6	
2 to 3 ft. B	8	0 .70
PYRACANTHA crenulata rod	oersiar	12
11/ to 2 ft Gal	gersiai 4	0 .35




10 rate 100 rate Each Each	10 rate 100 rate Each Each
VERONICA glaucophylla	VIBURNUM tinus (Laurustinus)
8 to 12 in. 5p	8 to 12 in, 4p
1 to 1½ ft. B	1 to $1\frac{1}{2}$ ft. Gal
VERONICA hulkeana	2 to 2½ ft. B
1½ to 2 ft. B	VIBURNUM tinus lucidum
VERONICA imperialis	1½ to 2 ft. B
8 to 12 in. Gal	VIBURNUM tinus strictum 8 to 12 in. 4p
VERONICA pimeloides	2 to 21/2 ft, Gal
16 to 20 in. B	2 to 2½ ft. B
VIBURNUM suspensum         1 to 1½ ft. Gal	VIBURNUM tinus variegatum         1½ to 2 ft. Gal       .35       .30         1½ to 2 ft. B       .75       .65



SAMPLE OF OUR "GALLON CONTAINER" STOCK. LEFT TO RIGHT, PITTOSPORUM TENUIFOLIUM, COPROSMA BAUERI, FREMONTIA MEXICANA, COTONEASTER PANNOSA AND PYRACANTHA CRENULATA

# Coniferous Trees and Shrubs

Nothing makes a richer or more satisfactory effect than conifers. Nurserymen should use more of them. We have a fine assortment of varieties suitable for almost every situation




A VIEW OF "CONIFEROUS PLANTING" AT OUR SANTA CRUZ NURSERY

	0 rate Each
CEDRUS atlantica (Mt. Atlas Cedar)	ĒΩ
3 to 3½ ft. 6p	1.50
4 to 5 ft. B	
5 to 6 ft. B	
CEDRUS atlantica glauca	
(Blue Mt. Atlas Cedar)	
2 to 2½ ft. B	1.50
3 to 3½ ft. B	2.50
CEDRUS deodara (Himalayan Cedar)	
2½ to 3 ft. B	1.25
3 to $3\frac{1}{2}$ ft. B	1.50
CEDRUS libani (Cedar of Lebanon)	
$1\frac{\pi}{2}$ to 2 ft. Qt	.25
2 to 2½ ft. Gal	.40
2½ to 3 ft. B	1.25
4 to 5 ft. B	2.00
*CHAMAECYPARIS lawsoniana	
(Lawson Cypress)	1.00
2 to 2½ ft. B	
CHAMAECYPARIS lawsoniana alum	1
(Blue Lawson) 1½ to 2 ft. B	80
2 to 2½ ft. B	1.00
CHAMAECYPARIS lawsoniana	1.00
erecta viridis	
2 to 2½ ft. B	1.00
/ 2	

G" AT OUR SANTA CRUZ NURSERY
10 rate   100 rate   Each   Each
CHAMAECYPARIS lawsoniana wisseli         1½ to 2 ft. B
CHAMAECYPARIS pisifera plumosa 1½ to 2 ft. B
CRYPTOMERIA japonica         (Japanese Redwood)         2 to 2½ ft. Gal
CRYPTOMERIA japonica elegans         (Plume Cypress)       1½ to 2 ft. B
CUPRESSUS arizonica (Arizona Cypress)         1 to 1½ ft. Qt.       .25 .20         3 to 4 ft. Gal.       .40 .35         5 to 6 ft. 5g.       1.75 1.50
CUPRESSUS benthami knightiana 4 to 5 ft. Gal
CUPRESSUS funebris (Mourning Cypress) 3 to 4 ft. Gal

10 rate 100 rate Each Each	
CUPRESSUS goveniana (Gowen's Cypress) 1½ to 2 it. Qt	PINUS pinea (Ita 2 to 252 ft. Ga
CUPRESSUS lusitanica 2 to 3 ft. Gal	2 to 3 ft. B *PINUS ponderos
*CUPRESSUS macrocarpa (Monterey Cypress)	$2\frac{1}{2}$ to 3 ft. B
1½ to 2 ft. Qt	*PINUS radiata ( 2 to 3 ft. Qt
2 <sup>1</sup> / <sub>2</sub> to 3 ft. B. 1.00 .80 4 to 5 ft. B. 1.50 1.25	3 to 4 it. Gal 2½ to 3 ft. B
CUPRESSUS sempervirens	5 to 6 ft. B 6 to 7 ft. B
(Italian Cypress) 2 to 2½ ft. B	PINUS strobus (
3 to 4 ft. B	PINUS sylvestris
CUPRESSUS torulosa majestica	2 to 2½ ft. B
JUNIPERUS chinensis pfitzeriana	12 to 16 in. 4
10 to 12 in. Gal	*PSEUDOTSUG 2 to 2½ ft. E
JUNIPERUS chinensis procumbens	
1 to 1½ ft. B	
JUNIPERUS communis depressa 2 to 2½ ft. B	
JUNIPERUS communis depressa plumosa (Andorra Juniper)	
1 to 1½ ft. B	
JUNIPERUS communis hibernica           (Irish Juniper)           2 to 2½ it. B	
JUNIPERUS conferta (Shore Juniper) 1½ to 2 ft, B	
JUNIPERUS excelsa stricta	er Bad
(Greek Juniper) 1½ to 2 ft. B	
JUNIPERUS sabina tamariscifolia	
10 to 12 in. Gal	
*LIBOCEDRUS decurrens (Incense Cedar)	
2 to 2½ ft. Gal	
PINUS canariensis (Canary Island Pine) 1 to 1½ ft. Qt	
2 to 2 ½ ft. 4p	A CONIFEROUS
*PINUS coulteri (Coulter Pine) 1 to 1½ ft. Gal	RETINOSPORA
1½ to 2 ft. B	1 to 1½ ft. 6 1 to 1½ ft. B
1½ to 2 ft. B	RETINOSPORA
1½ to 2 ft. B	1 to 1½ ft. B
PINUS nigra (Austrian Pine)	*SEQUOIA gigar
10 to 12 in. 4p	$2\frac{1}{2}$ to 3 ft. B 3 to $3\frac{1}{2}$ ft. B

10 rate 100 Each Ea	
PINUS pinea (Italian Stone Pine)         2 to 2½ ft. Gal	.35
*PINUS ponderosa (Western Yellow Pin 2½ to 3 ft. B	ie) .25
	.50
PINUS strobus (White Pine) 1½ to 2 ft. 5p	5
PINUS sylvestris (Scotch Pine) 2 to 2½ ft. B	.85
PODOCARPUS totara 12 to 16 in. 4p	.30
*PSEUDOTSUGA douglasi (Douglas F 2 to 2½ ft. B	




## A CONIFEROUS EVERGREEN PLANTING

RETINOSPORA ericoides  1 to 1½ ft. 6p  1 to 1½ ft. B		.40 .70
RETINOSPORA leptoclada 1 to 1½ ft. B	.80	.70
*SEQUOIA gigantea (California 1½ to 2 it. Gal	.50 1.50	.40 1.25

# "OUR PRICES COMPARE"

10 rate 100 rate	1
Each Each	ı
*SEQUOIA sempervirens (Coast Redwood)	ı
$1\frac{1}{2}$ to 2 ft. Qt	ı
3 to 4 ft. Gal	ı
2 to 3 ft. B	ı
4 to 5 ft, B	1
5 to 6 ft. B	1
TAXUS baccata aurea	
(Golden English Yew)	Î
2½ to 3 ft. B	ı
THUJA occidentalis pyramidalis	ı
2½ to 3 ft. B	ı
3 to 3½ ft. B	ı
THUJA occidentalis pyramidalis douglasi	ı
2 to 2½ ft. B	ı
THUJA orientalis aurea nana (Berkman's Dwarf Golden)	
10 to 12 in. B	ı
1 to 1½ ft. B	ı
1½ to 2 ft. B	1

	E		100 rate Each
THUJA orientalis beverleyensis  1½ to 2 ft. B		1.00	0 .85 5 1.00
THUJA orientalis compacta 1 to 1½ ft. B		.80	o . <b>7</b> 0
THUJA orientalis meldensis 1 to 1½ ft. B		.80	0 .70
*THUJA plicata 2 to 3 ft. B		1.2	5 1.00
THUJA plicata aurea 2 to 2½ ft. B		1.2	5 1.00
THUJA rosedale 1½ to 2 ft. B		.80	.70
TSUGA canadensis (Hemlock) 1 to 1½ ft. 5p		.5(	0 .40



# Flowering Fruit Trees


We have made a specialty of flowering fruit trees and have an extremely large and varied assortment of worthwhile varieties. The flowering trees are becoming more popular every year and you should stock a complete assortment of them. Our trees are grown in a section free from Peach root borer and may be shipped anywhere.



10 rate 100 rate 10 rate 100 rate FLOWERING ALMONDS FLOWERING APPLES AMYGDALUS communis nana MALUS atro-sanguinea (Carmine Crab) (Dbl. Pink Dwarf Flowering Almond) .45 MALUS floribunda .45 MALUS floribunda purpurea FLOWERING PEACHES .45 AMYGDALUS persica (Flowering Peach) MALUS halliana parkmani (Kido) 3 to 4 ft. B. R..... Burbank (Dbl. Pink), Dbl. Cerise, 4 to 6 ft. B. R..... Early Red, Early Dbl. Pink. Clara .65 Meyer(Dbl Pink), Genbei (Variegated), MALUS ioensis-plena (Bechtel's Crab) Late Dbl. Red, Purple Leaf, Dbl. White .40 .50 4 to 6 ft. B. R..... .60 AMYGDALUS persica (Chinese Dwarf) MALUS scheideckeri (Very Dwarf Flowering Peach) .45 1 to 1½ ft. B. R. 1.00 FLOWERING PLUMS & APRICOTS AMYGDALUS persica weeping PRUNUS Mme. Dorborn (Large Dbl. Pink Flowering Apricot) (Dbl. Red Weeping Peach) Low Worked 4 to 6 ft. B. R.... 1.00 

# "OUR PRICES COMPARE"

10 rate 100 rate Each Each PRUNUS moseri	PRUNUS triloba-plena
(Purple Leaf Dbl. Pink Flowering Plum)  3 to 4 ft. B. R	3 to 4 ft. B. R
3 to 4 ft. B. R	3 to 4 ft. B. R
PRUNUS mume (Red Flowering)       3 to 4 ft. B. R	FLOWERING CHERRIES  PRUNUS peudo cerasus  (Flowering Cherry, Single White, Semi-dbl. Pink, Dbl. White, Dbl. Pink and Dbl. Rose
PRUNUS pissardi         (Purple Leaf Flowering Plum)         3 to 4 ft. B. R	2 to 3 ft. B. R




PARTIAL VIEW OF OUR MORGAN HILL LATH-HOUSE

# Deciduous Trees and Shrubs

There are many varieties in this group which should be used more in California; some with gorgeous flowers in the Spring or Summer and others with red berries or colored foliage in the Fall and Winter.

Each Each
ACER dasvcarpum (Silver Maple)
4 to 6 ft. B. R
6 to 8 ft. B. R
ACER japonicum (Japanese Maple)
1½ to 2 ft. Gal
*ACER macrophyllum (California Maple)
2 to 3 ft. Gal
2 to 3 ft. Gal
*ACER negundo (Boxelder) 4 to 6 ft. B. R
6 to 8 ft. B. R
ACER platanoides (Norway Maple)
3 to 4 ft. B. R
ACER platanoides schwedleri
(Purple Maple) 3 to 4 ft. B. R
3 to 4 ft. B. R
*AESCULUS californica (Buckeye)
1 to 1½ ft. Gal
ALBIZZIA julibrissin (Pink Acacia) 12 to 14 in. Gal
12 to 14 in. Gal
5 to 6 ft. B. R
*AMORPHA californica (Indigo Shrub)
4 to 5 ft. Gal
BERBERIS thunbergi
1 to 1½ ft Gal 35 30
2 to 3 ft. B. R
BERBERIS thunbergi atro-purpurea
8 to 12 in. Gal
<b>BETULA alba</b> (European White Birch) 3 to 4 ft. B. R
3 to 4 ft. B. R
4 to 6 ft. B. R
BETULA alba purpurea
(Purple Leaf Birch)
3 to 4 ft. B. R
BETULA alba laciniata
(Cut Leaf Weeping Birch)
4 to 6 ft. B. R
4 to 6 ft. B. R
CAESALPINIA gilliesi         (Bird of Paradise)           1½ to 2 ft. Gal
CALYCANTHUS floridus (Sweet Shrub)
1 to 1½ ft. Gal
*CALYCANTHUS occidentalis
(Western Sweet Shrub)
1 to 1½ ft. Ga1 35 30

	10 rate 1	00 rat
	Each	Each
CARYOPTERIS incana (Blue	Spirea	)
1 to 1½ ft. Gal	35	.3
CATALPA speciosa		
3 to 4 ft. Gal	40	.3.
6 to 8 ft. B. R	70	.60
8 to 10 ft. B. R	1.00	.85
CEPHALANTHUS occidental	lis	
(Buttonbush)		
2 to 2½ ft. Gal	40	.35
CERCIS occidentalis (Western	Red E	Bud)
1 to 1½ ft. Gal	35	.30




#### HYDRANGEA HORTENSIS

CORNUS californica (Creek Dog 1 to 1½ ft. Gal		
CORNUS florida (Flowering Dog 1½ to 2 ft, B. R CRATAEGUS carrierei (Large Red 6 to 8 ft, B. R	.40 1 Ber	.35 ries)
<b>CRATAEGUS cordata</b> (Washingto 3 to 4 ft. B. R	.50	.40
CRATAEGUS monogyna (Double White Hawthorne) 4 to 6 ft. B. R	.55 .70	
CRATAEGUS monogyna (Double Pink Hawthorne) 4 to 6 ft. B. R	.55 .70	.45 .60

10 rate 100 rate Each Each	10 rate 100 rate Each Each
CRATAEGUS oxycantha splendens (Paul's Scarlet Hawthorne)	PLATANUS orientalis (European Sycamore)
3 to 4 ft. B. R	3 to 4 ft. B. R
CYDONIA japonica (Flowering Quince) 1 to 1½ ft. Gal	8 to 10 ft. B. R
2 to 3 ft. 5g	
2 to 3 ft, B. R	
2 to 2½ ft. Gal	
FORSYTHIA viridissima 2 to 3 ft. Gal	
FRAXINUS americana (American Ash) 7 to 8 ft. 5g	
*FRAXINUS velutina (Arizona Ash) One of the most satisfactory trees for roadside planting, will endure drought and grow in alkali soils.  4 to 5 ft. Gal	
*HOLODISCUS discolor (Ocean Spray) 1½ to 2 ft. Gal	
HYDRANGEA hortensis, hortensis variegata, La Perle, Nigra, Mousseline, Radiant, Mrs. C. S. Rich, E. G. Hill	
1 to 1½ ft. Gal	PLATANUS ORIENTALIS (EUROPEAN SYCAMORE)
KERRIA japonica single (Japanese Rose) 1½ to 2 ft. Gal	POPULUS alba nivea (Silver Poplar) 6 to 8 ft. B. R
KERRIA japonica double       1½ to 2 ft. Gal	4 to 6 ft. B. R
KOELREUTERIA paniculata (Goldenrain Tree) 6 to 7 ft. 5e	POPULUS nigra italica (Lombardy Poplar)           4 to 6 ft. B. R
6 to 7 ft. 5g	POPULUS simoni fastigiata 8 to 10 ft. 5g
LIPPIA citriodora (Lemon Verbena) 2 to 2½ ft. Gal	(Double Red Pomegranate) 2 to 2½ ft. Gal
LIRIODENDRON tulipifera (Tulip Tree) 3 to 4 ft. B. R	*QUERCUS lobata (Valley Oak) 8 to 12 in. Qt
4 to 6 ft. B. R	QUERCUS palustris (Pin Oak) 8 to 12 in, Qt
LONICERA tatarica grandiflora (Bride Honeysuckle)	1 to 1½ ft. Gal
1 to 1½ ft. Qt	3 to 4 ft. Gal

		100 rate Each
*RIBES sanguineum	Lacii	Lacii
(Red Flowering Currant)		
1 to 1½ ft. Gal	33	.30
ROBINIA hispida macrophylla (Rose Locust) (Top Worked)	)	
4 to 6 ft. stem B. R	1.2.	5
ROBINIA pseudoacacia (Black 4 to 6 ft. B. R	Locus	st) 0 .40
6 to 8 ft. B. R	60	50 .50
ROBINIA pseudoacacia decaism (Pink Locust)		
4 to 6 ft. B. R	80	0 .70
*ROMNEYA coulteri		.00
(Matilija Poppy) Extra Fine S		
We have an unusually fine so of this beautiful native plant.	tock	
	2	. 20
10 to 12 in, Qt		5 .50
10 to 12 in. Qt 1 to 1½ ft. 4p 1½ to 2 ft. Gal	<del>-</del>	5 45
2 to 3 ft. 5g	1.50	1.25
SALIX babylonica pendula		
(Weeping Willow)		
6 to 8 ft. B. R	60	.50
SALIX discolor (Pussy Willow 6 to 8 ft. B. R	70	
SOPHORA japonica (Pagoda I	Tree)	
2 to 2½ ft. Gal	40	.35
SORBUS aucuparia (European		
3 to 4 ft. B. R		.35
4 to 6 ft. B. R.	6	
6 to 8 ft. B. R	7.	5 .60
SPIRAEA cantoniensis		
1 to 2 ft. Gal	40	.35
2 to 2½ ft. B. R	4.	5 .40
*SPIRAEA douglasi		
2 to 3 ft. B. R	4	5
SPIRAEA van Houttei		
1½ to 2 ft. Ga1	3	
2 to 3 ft. B. R	4	.35

SYMPHORICARPOS racemo	100 ra Eacl	
(Snowberry) 2 to 3 ft. Gal	 5 .3	30
SYMPHORICARPOS vulgaris 2 to 2½ ft. Gal	5 .3	30



## SPIRAEA VAN HOUTTEI

SYRINGA chinensis nana (Dwarf Chinese Lilac)		
1 to 1½ ft. Gal	.35	.30
TAMARIX africana		
2 to 3 ft. Gal	.35	
4 to 6 ft. B. R.	.40	.35
TAMARIX pentandra (Aestivalis)		
Attractive grey green foliage an pink flowers, blooms in Spring an		
again in Summer.		
4 to 6 ft. B. R	.40	.35
ULMUS americana (American Elu	n)	
6 to 8 it. B. R	.60	.50
VITEX macrophylla (Chaste Tree	)	
3 to J ft Gol	40	35



# Agaves, Bamboos and Palms


These plants are a characteristic feature of the California landscape; and are especially in demand now when there are so many houses of the Spanish and Mission type of architecture being constructed.

· ·	10 rate 1 Each	100 rate Each
AGAVE americana (Century	Plant)	
10 to 12 in. Gal	35	
AGAVE americana variegata		
6 to 8 in. 4p		.20
10 to 12 in. Gal		.30
1 to 1½ ft. 5g	1.00	
ALOE mitriformis (Spotted)		
10 to 12 in. Gal	40	.35
ARUNDO donax variegata		
(Striped Giant Reed)		
5 to 6 ft. 5g	1.15	1.00
BAMBOO dwarf		
8 to 12 in. Gal		.30
BAMBOO metake (Japanese	Bamboo	)
2 to 2½ ft. Gal	40	.35
4 to 5 ft. 5g	1.00	.85
CAREX grass striped (Small	Leaf)	
6 to 10 in. 3p		.15
CAREX grass striped (Large	Leaf)	
8 to 12 in. 3p	20	.15
CHAMEROPS humilis (Dwa	rf Fan P	alm)
10 to 12 in. Gal	40	
1 to 1½ ft. B	1.00	.85
COCOS australis		
2½ to 3 ft. 5g	1.50	
CORDYLINE australis (Dra		1m)
1 to 1½ ft. Qt		
3 to 4 ft. B	1.25	1.00
CORTADERIA argentea (Pa	ampas Gi	rass)
2 to 2½ ft. Gal		
3 to 4 ft. 5g	1.00	.85


10 rate 1	00 rate
Each	Each
CORDYLINE indivisa	
10 to 12 in. Qt	.20
CYPERUS alternifolius	
1 to 1½ ft. Qt	.20
HESPERALOE engelmanni	
1 to 1½ ft. Gal	.35
KNIPHOFIA (Red Hot Poker)	
Gal	.25
PHOENIX canariensis (Date Palm)	
1 to 1½ ft. Gal	.35
1 to $1\frac{1}{2}$ ft. Gal	.85
PHORMIUM tenax variegata	
(Striped New Zealand Flax)	
2 to 3 ft. 5g 1.15	1.00
TRACHYCARPUS excelsa	1.00
(Windmill Palm)	
2½ to 3 ft. B	1.25
*WASHINGTONIA filifera	1.20
(California Fan Palm)	
2 to 2½ ft. Gal	40
3 to 4 ft. B	1.50
WASHINGTONIA robusta	1.50
(Mariana Fam Datus)	
3 to 4 ft. B	1.50
*YUCCA arborescens (Joshua Tree)	1.50
10 to 12 in. Gal	.30
YUCCA filamentosa	.50
1 to 1½ ft. Gal	.30
	.50
*YUCCA whipplei (Spanish Bayonet)	.20
8 to 12 in. 4p	.30
1 to 1½ ft. Gal	.75
$1\frac{1}{2}$ to 2 ft, B	./5



PARTIAL VIEW OF OUR ROCKERY AT SAN JOSE SALESYARD



		100 rate Each		
AKEBIA quinata	Lacii	Eacii	-	
Ga1	33	.30	~;·	
AMPELOPSIS henrya	na			
(Silver Vein Creeper)			بري	150
Qt	2.	5 .20		
Ğa1	33	5 .30	70	
AMPELOPSIS inconst	ans-lo	owii	× = 3	
Foliage small and fine	ely cu	t, turn	1	
ing to bright red in	late s	summe:		
and fall.			734	3.4
Ga1			No.	de la
AMPELOPSIS quinqu	efolia			
(Virginia Creeper)	_	_	3 300	A 200
Qt				
Ga1				
AMPELOPSIS semper	viren	S		
(Evergreen Boston I	vy)	0 0.5		
Ga1				
AMPELOPSIS veitchi				F
Qt			.25	.20
Gal			.35	.30
BIGNONIA buccinator	ia			
(Blood-red Trumpet)			.45	.40
Gal			.+5	.40
BIGNONIA unguis-cat				
(Tweediana) (Yellow	1 rui	npet)	.30	25
Gal			.40	.25
CLEMATIS montana			.40	.00
Gal			.35	.30
			.50	.50
CLEMATIS paniculata			.25	.20
1			.23	.20
CONVOLVULUS mai			20.	
10 to 14 in. Qt			.20 .:	$17\frac{1}{2}$
EUONYMOUS radicat	ıs			
8 to 12 in. 4p			.25	.20
1 to 1½ ft. Gal			.35	.30
FICUS pumila (Repens	) (C1	imbino	Fig)	
4p		8	.25	.20




	ate 10	
HEDERA helix (English Ivy)		
Qt	.20	
Ga1	.30	.25
HEDERA helix dentata aurea		
(Large Leaf Variegated Ivy)		
Qt Gal	.25	.20
Gal	.35	.30
HEDERA helix (Emerald Gem)		
Gal	.30	.25
HEDERA helix (Mrs. Pollock)		
Qt	.25	.20
HEDERA helix variegata		
Qt	.25	.20
Gal	.30	.25
HELIANTHEMUM (Sun Rose)		
APRICOT, BRONZE, CREAM		
PINK, RED, WHITE, YELLO		
One of the showiest and mos		
satisfactory ground covers, i bloom a large part of the year.	11	
	1 =	1.21/
30	.10	.1472



# "HEADQUARTERS NATIVE TREES AND SHRUBS"

		00 rate Each	10 rate 100 rate Each Each
HYPERICUM calycinum (Dwarf Hypericum)			PASSIFLORA mollissima (Pink Passion Flower)
8 to 12 in. Qt	.20	.15	Gal
JASMINE beesianum (Rosy Jasm	nine)		PLUMBAGO capensis
Ga1	.35	.30	1 to 1½ ft. 4p
JASMINE grandiflora (Spanish Ja	smir	ne)	2 to 2½ ft. Gal
Gal	.40	.35	SOLANDRA guttata (Copa de Ora)
JASMINE humile (Italian Jasmine	e)		Ga1
Gal	.35	.30	SOLANUM jasminoides (Potato Vine)
JASMINE primulinum (Primrose	Jası	nine)	Gal
Gal	.30	.25	SOLLYA heterophylla (Australian Blue Bell)
*LONICERA hispidula californica			Gal
(California Honeysuckle)	25	20	TRACHELOSPERMUM jasminoides
Gal	.33	.30	(Star Jasmine)
LONICERA japonica (Hall's Japanese Honeysuckle)			Gal45 .45
Qt	.20	.17½	VERBENA erinoides (Alpine Verbena
Ĝal	.30	.25	10 to 12 in. Qt
LONICERA japonica chinensis			
(Chinese Honeysuckle) Qt	20	171/	
Ga1			
LONICERA japonica reticulata au	ırea		
(Golden Honeysuckle)			
Gal	.35	.30	
LONICERA periclymenum belgica	a		
(Dutch Woodbine) Gal	35	.30	
LONICERA sempervirens fuchsion		.00	200
(Scarlet Fuchsia Honeysuckle)	ues		
Ga1	.40	.35	
MANDEVILLEA suaveleons			
(Chile Jasmine) Gal	40	.35	
*MICROMERIA chamissonis	.10	.00	
(Yerba Buena)			
8 to 12 in. Qt	.20	$.17\frac{1}{2}$	
MUEHLENBECKIA complexa			
(Wire Vine) Gal	30	.25	
PACHYSANDRA terminalis	.50	.23	
(Japanese Spurge)			
8 to 12 in. Qt	.25	.20	AMPELOPSIS QUINQUEFOLIA
PANDOREA australis (Tecoma a			(VIRGINIA CREEPER)
4p Gal	.30	.25 .35	VINCA major (Periwinkle)
PANDOREA jasminoides	. 10	.00	8 to 12 in. Qt
(Tecoma Jasminoides)			VINCA major variegata
Gal	.40	.35	8 to 12 in. Qt
PASSIFLORA incarnata (Passion			VINCA minor
Ga1	.35	.30	8 to 12 in. Qt

# Lining Out Stock




SAMPLE OF OUR "LINING OUT STOCK". LEFT TO RIGHT, MAHONIA AQUIFOLIUM, COTONEASTER PANNOSA. CHOISYA TEINATA. VIRBUNUM TINUS STRICTUM, NANDINA DOMESTICA AND MYRTUS COMMUNIS COMPACTA.

In order to produce strong thrifty plants it is necessary to have the young "Lining Out" stock come to you in a clean healthy condition. All our stock in this class is young with a fibrous root system produced under the most favorable conditions.

10 rate 100 rate Each Each	10 rate 100 rate Each Each
ACACIA armata 6 to 8 in. Flats	BERBERIS wilsoni 4 to 6 in. 2½p
ACACIA baileyana 6 to 8 in. Flats	CEDRUS deodara 4 to 6 in. 214p
ACACIA cultriformis 4 to 6 in. Flats	*CEANOTHUS cyaneus 6 to 8 in. 214p
ACACIA decurrens dealbata 6 to 8 in. Flats	*CHAMAECYPARIS lawsoniana 8 to 12 in. 2½p
ACACIA florabunda 8 to 12 in. Flats	CORDYLINE australis 6 to 8 in. 2½p
6 to 8 in, Flats	CORDYLINE indivisa 6 to 8 in. 2½p
8 to 12 in. Flats	COTONEASTER franchetti 3 to 4 in. 2½p
4 to 6 in. Flats	COTONEASTER microphylla 6 to 8 in. 2½p
2½p	COTONEASTER pannosa
2¼p	6 to 8 in. 2 <sup>1</sup> / <sub>4</sub> p
5 to 10 m. 2/+p	

# "OUR STOCK GROWS"

	-		
COTONEASTER salicifolia	.08	PODOCARPUS totara 4 to 6 in. 2½p	.10
3 to 4 in. 2½p	.00	PYRACANTHA angustifolia	.10
4 to 6 in. $2\frac{7}{4}$ p	.10	4 to 6 in. 2½p	.08
CUPRESSUS arizonica	.05	PYRACANTHA coccinea lalandi	0.0
1 to 1½ ft. Flats	.03	3 to 4 in. 2½p	.08
	.03	PYRACANTHA crenulata 6 to 8 in. 2½p	.08
CUPRESSUS sempervirens		PYRACANTHA crenulata yunnanensis	.00
8 to 10 in. Flats	.05	4 to 6 in. 2½p	.08
CUPHEA hyssopifolia	.08	PYRACANTHA formosiana	0.0
4 to 6 in. 2½p	.00	3 to 4 in. 2½p	.08
	.08	RAPHIOLEPIS umbellata 3 to 4 in. 2½p	.08
EUONYMOUS japonica		RETINOSPORA ericoides	
	.08	4 to 6 in, 2½p	.08
EUONYMOUS japonica aurea variegata 3 to 4 in. 2½p	.08	RETINOSPORA leptoclada	0.0
EUONYMOUS radicans		6 to 8 in. 2¼p* *RHAMNUS crocea ilicifolia	.08
	.08	6 to 8 in. 2 <sup>1</sup> / <sub>4</sub> p	.10
*GARRYA elliptica	10	*RIBES sanguineum	
7 +1	.10	2 to 3 in. 2½p	.08
GREVILLEA robusta 3 to 4 in. 2½p	.08	ROSMARINUS officinalis	
JUNIPERUS bermudiana		4 to 6 in. 2½p	.08
4 to 6 in. 2½p	.10	SCHINUS molle	
JUNIPERUS chinensis pfitzeriana	10	6 to 8 in. 2½p	.08
6 to 8 in. 2½p	.10	*SEQUOIA gigantea 2 to 3 in. 2½p	1.0
4 to 6 in. 2 <sup>1</sup> / <sub>4</sub> p	.10		.10
LAURUS nobilis		SOLANUM pseudocapsicum 6 to 8 in. 2½p	.08
0 to 1 mi = /+P	.08	SPIREA cantoniensis	
LEONOTIS leonorus 4 to 6 in. 2½p	.08		.08
LIGUSTRUM japonicum		STERCULIA diversifolia	
1 to 1½ ft. Flats	.04	6 to 8 in. 2½p	.08
LIGUSTRUM ovalifolium aurea	00	TAXUS baccata	
0 to 0 mi =/+P	.08		.12
*MAHONIA aquifolium 4 to 6 in. 2 <sup>1</sup> / <sub>4</sub> p	.08	THUJA plicata aurea 4 to 6 in. 2½p	1.0
1 to 0 iii. 2/+P			.10
MYRTUS communis compacta 3 to 4 in. 2½p	.08	THUJA rosedale 4 to 6 in. 2½p	.08
MYRTUS communis variegata	1	THUYOPSIS dolobrata variegata	
3 to 4 in. 2½4p	.08		.10
NANDINA domestica		ULEX europeus	
4 to 6 in. 2 <sup>1</sup> / <sub>4</sub> p	.08	4 to 6 in. 2½p	.08
*PHOTINIA arbutifolia	10	*YUCCA whipplei	
0 to 1 mi =/+P	.10	7 1 2	.08
PINUS nigra 6 to 8 in. 2½^	.10	VERONICA chatamica	00
	.10	7.14	.08
*PINUS ponderosa 4 to 6 in. 2½p	.10	VERONICA andersoni variegata 4 to 6 in. 2½p	.08
*PINUS radiata		VERONICA formosiana	.00
	.06		.08
PITTOSPORUM eugenoides		VERONICA glaucophylla	
	.04		.08
PITTOSPORUM tobira	0.6	VERONICA hulkeana	
4 to 6 in. Flats	.06	4 to 6 in. 2½p	.08



PRUNES PEARS CHERRIES THREE VIEWS OF "FRUIT TREES" AT OUR BRENTWOOD NURSERY

# Fruit and Nut Tree Department

Our stock of fruit trees this year is unusually fine. We have all the varieties which should be included in home orchard plantings. Our fruit trees are all grown near Brentwood in Contra Costa County where conditions are unexcelled for the growing of quality stock. This section is absolutely free from "Peach Root Borer" and our stock can be shipped anywhere.

The following prices apply to all varieties of fruit trees in lots of ten or more of a variety, except where other prices are given.

+	to	6	tt	25
			ft	

## APPLES

Alexander, Arkansas Black, Delicious, Early Harvest, Gravenstein, Jonathan, King David, Northern Spy, Red Astrachan, Red June, Red Pearmain, Rome Beauty, Skinner Seedling, Spitzenburg, Stayman's Winesap, White Astrachan, W. W. Pearmain, Winter Banana, Yellow Bellflower, Y. N. Pippin, Yellow Transparent, Transcendent Crab, Yellow Siberian Crab.

## **APRICOTS**

(on Apricot, Myrobolan and Peach Roots) Blenheim, Hemskirke, Moorpark, Peach,

## CHERRIES

Bing, Black Republican, Black Tartarian, Burbank, Early Richmond, Governor Wood, Lambert, Mayduke, Montmorency, Royal Anne:

4	to	6	_ft	.31
3	to	4	ft.	- 2:

#### FIGS

Black Mission, Kadota, White Adriatic

## NECTARINES

Boston, Gower, Milton, Quetta, Stanwick

#### PEACHES—Freestone.

Alexander, Briggs May, Decker, Early Crawford, Elberta, Foster, Hale's Early, Indian Blood, J. H. Hale, Late Crawford, Lovell, Mayflower, Muir, Opulent, Salway, Strawberry, Triumph, Yellow St. John

# PEACHES—Clingstone Hauss, Palora, Peak, Tuscan, White Heath PEARS

Bartlett, Beurre Bosc, Beurre d'anjou, Beurre Hardy, Doyenne du Comice, Duchess d'angou'ere, Easter Beurre, Glout Morceau, Seckel, Winter Bartlett, Winter Nelis

#### PLUMS

Apex Plumcot, Burbank, Climax, Extra Early Satsuma, Green Gage, Hungarian, Jefferson, King of Damsons, President, Santa Rosa, Satsuma, Sharpe Plumcot, Stanford Plumcot, Wickson, Yellow Egg

# PRUNES

Burton, Coates 1418, Imroved French, Imperial, Robe de Sargent, Stuart, Sugar

## QUINCES

Pineapple, West's Mammoth

### ALMONDS


Drake, I.X.L., Nonpareil, Texas Prolific WALNUTS (on Northern California Black) Concord, Eureka, Franquette, Mautner, Mayette. Payne

3	to	4	ft	.50	.40
4	to	6	ft	.75	.60
6	to	8	ft	1.00	.85

## WALNUT SEEDLINGS

## LOQUATS (Budded)

#### POMEGRANATE



★ Main Office and Salesyard

Growing Grounds and Nurseries

# LEONARD COATES NURSERIES, INC.

NURSERYMEN - FLORISTS

2201-2205 The Alameda

San Jose, California